



Contribution ID: 36

Type: Poster

## Chiral symmetry restoration by parity doubling and the structure of neutron stars

*Monday, 21 May 2018 18:30 (0 minutes)*

Recent lattice QCD studies at vanishing density exhibit the parity-doubling structure for the low-lying baryons around the chiral crossover temperature. This finding is likely an imprint of the chiral symmetry restoration in the baryonic sector of QCD, and is expected to occur also in cold dense matter, which makes it of major relevance for compact stars. By contrast, the latter is typically studied in effective models that embody the chiral physics solely in the deconfined sector, with quarks as degrees of freedom. In this talk, we present a description of QCD matter based on the effective hybrid quark-meson-nucleon model. Its characteristic feature is that, under neutron-star conditions, the chiral symmetry is restored in a first-order phase transition deep in the hadronic phase, before the deconfinement of quarks takes place. We discuss the implications of the parity doubling of baryons on the mass-radius relation for compact stars obtained in accordance with the modern constraints on the mass from PSR J0348-0432, the compactness from GW170817, as well as the direct URCA process threshold. We show that the existence of high-mass stars might not necessarily signal the deconfinement of quarks.

**Primary authors:** Dr SASAKI, Chihiro (University of Wrocław); Prof. BLASCHKE, David (University of Wrocław); Prof. REDLICH, Krzysztof (University of Wrocław); Mr MARCZENKO, Michał (University of Wrocław)

**Presenter:** Mr MARCZENKO, Michał (University of Wrocław)

**Session Classification:** Poster Session