



Beitrag ID: 84

Typ: **nicht angegeben**

Partial Wave Analysis for Pion-Induced Resonance Studies in the HADES Experiment

Mittwoch, 25. September 2024 09:35 (20 Minuten)

The High Acceptance Di-lepton Spectrometer (HADES) collaboration at GSI employs a pion beam to examine the characteristics of baryonic resonances and their decay channels. This pion-beam facility enables the generation of baryonic resonances at a fixed center of mass energy (\sqrt{s}), i.e. in the S-channel. Consequently, these beams possess a significant advantage over proton-induced reactions and are complementary to photo-induced studies conducted elsewhere. Partial Wave Analysis (PWA) techniques are used to study the coupling of the resonances to different final states. HADES has a particular interest in studying the role and medium modification of vector mesons in heavy-ion collisions in baryon-dense matter. Elementary pion-induced studies on the proton combined with a PWA will provide insights into the couplings of baryonic resonances to ρN and ωN final states in greater detail will provide insights into the impact of the melting of the ρ meson in heavy ion collisions and the involvement of intermediary vector mesons in dilepton emissions.

In anticipation of conducting a more comprehensive exploration of the resonance regions in pion-proton collisions, a new implementation of the K-Matrix & N/D frameworks is currently under development. This updated implementation aims to offer a refined mapping of these regions. Example fits will be presented showing current status and the potential of the new framework.

Hauptautor: FODA, Ahmed Marwan Abdelrahman (GSI Helmholtzzentrum für Schwerionenforschung GmbH(GSI))

Vortragende(r): FODA, Ahmed Marwan Abdelrahman (GSI Helmholtzzentrum für Schwerionenforschung GmbH(GSI))

Sitzung Einordnung: Session