

Reflectivity and spectral shift from plasma mirrors generated by KrF laser

Thursday, January 30, 2020 9:20 AM (25 minutes)

It was recently shown [1] that plasma mirror can be an applicable pulse cleaning method even for UV lasers, as up to 70% efficiency can be obtained for intensities of 10^{15} W/cm². High acceleration of KrF laser produced plasmas was also observed [2]. Even recent results show that absorption and reflection of intense ultrashort laser pulses from laser plasmas depend strongly on the temporal contrast of the laser beam [3]. In our lab a new non-linear Fourier-filter method [4] was demonstrated for the contrast improvement of short-pulse KrF lasers and this was applied the first time here for high-intensity laser plasma experiments. It was found that increasing the intensity of the 248-nm, 600-fs laser pulse from 10^{15} W/cm² to 10^{18} W/cm² the plasma reflectivity not only saturates but decreases below 20% for different target materials and different polarizations. The spectral shift of the reflected beam depends strongly on the contrast of the beam. Using the improved contrast of $5 \cdot 10^{11}$ with the Fourier filtering spectral blue shift up to 0.6-nm was observed, corresponding to the plasma acceleration of $4 \cdot 10^{18}$ ms⁻². This is approximately four times higher than the previous result [2] and it does not depend strongly on the incoming beam polarization. Thus the acceleration is probably caused by the ponderomotive force.

\vspace{10mm}

\noindent\textbf{References}

\vspace{5mm}

\noindent[1] B. Gilicze et al.; Rev. Sci. Instrum. \textbf{87}, 083101 (2016)

\noindent[2] R. Sauerbrey; Physics of Plasmas \textbf{3}, 4712 (1996)

\noindent[3] P.K. Singh et. al.; Scientific Reports \textbf{5}, 17870 (2015)

\noindent[4] B. Gilicze et. al.; Optics Express \textbf{27}, 17377 (2019)

Primary author: Mr KOVACS, Zsolt (Wigner Research Centre for Physics and University of Szeged)

Co-authors: Mr GILICZE, Barnabas (University of Szeged); Prof. FÖLDES, Istvan (Wigner Research Centre for Physics); Mr BALI, Krisztian (University of Szeged and Wigner RCP); Prof. SZATMARI, Sandor (University of Szeged)

Presenter: Prof. FÖLDES, Istvan (Wigner Research Centre for Physics)

Session Classification: High-Intensity Lasers and Applications in HED Science III